

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:18 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Office H092102-23			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



輝揚環境檢測股份有限公司

編號：T-23-03-01
版次：2.2
日期：99.04.15

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：109年09月21日11時18分
收樣日期：109年09月21日15時00分
報告日期：109年09月24日
報告編號：IC109H092102
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			辦公室 H092102-23			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:20 September.21, 2020

Sample ID : drinking water

Sample Receipt: 15:00 September.21, 2020

Sample Site :

Report Date: September.24, 2020

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Restaurant			
			H092102-24			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chan



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

聯絡人：施國隆、黃國峰

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:22 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			B1-A H092102-25			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:00 September.21, 2020

Sample ID : drinking water

Sample Receipt: 15:00 September.21, 2020

Sample Site :

Report Date: September.24, 2020

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			The first building 2F A H092102-15			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fuet-Chun P/ry



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

採樣日期： 109 年 09 月 21 日 11 時 00 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:02 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			The first building 2F B H092102-16			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chun



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

採樣日期： 109 年 09 月 21 日 11 時 02 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。


2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

檢驗室主管（簽名蓋章）：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:04 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			The first building 2F C H092102-17			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Hwei-chun



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 11 時 04 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:55 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung
Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F-A H092102-13			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuor-Chan



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 55 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。


4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

檢驗室主管（簽名蓋章）：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client:GOLDEN BROTHER INTERNATIONAL CO.,LTD.

Sampling Date: 12:30 September.28, 2020

Sample ID : drinking water

Sample Receipt: 15:30 September.28, 2020

Sample Site :

Report Date: October.05, 2020

Report No : IC109H092802

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F B H092802-01			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chen



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

採樣日期： 109 年 09 月 28 日 12 時 30 分
收樣日期： 109 年 09 月 28 日 15 時 30 分
報告日期： 109 年 10 月 05 日
報告編號： IC109H092802
聯絡人： 施國隆、黃國峰

[illegible]

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

聲明書

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。


(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

許桂秋 10/1



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:57 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F-C H092102-14			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fuer-chen P/N



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:48 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-A H092102-10			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 48 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
實驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:50 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-B H092102-11			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chen



電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 50 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。


4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願自賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

檢驗室主管（簽名蓋章）：



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:53 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-C H092102-12			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chun



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 53 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client:GOLDEN BROTHER INTERNATIONAL CO.,LTD.

Sampling Date: 10:41 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization :HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-A H092102-07			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :


- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab:

Hsu fwei-chun 9/4



電話：(03)3161590
傳真：(03)3466781

聯絡人：施國隆、黃國峰

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:43 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung
Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-B			
			H092102-08			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo- Chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：鎔興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 43 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

許桂林啟



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:45 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-C H092102-09			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chen



電話：(03)3161590
傳真：(03)3466781

委託單位：鈺興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 45 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:33 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-A H092102-04			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：銘興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 33 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： ICI09H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:35 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-B H092102-05			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 35 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

許楚秋 1/4



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:38 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

 Contact Person : Shih Kuo- Lung
 Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-C H092102-06			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chung



輝揚環境檢測股份有限公司

編號：T-23-03-01
版次：2.2
日期：99.04.15

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：109年09月21日10時38分
收樣日期：109年09月21日15時00分
報告日期：109年09月24日
報告編號：IC109H092102
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			6F-C H092102-06			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:25 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-A H092102-01			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin P/4



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 25 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

許楚秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:27 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-B H092102-02			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo- Lung



電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109年 09 月 21 日 10 時 27 分
收樣日期： 109年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

評語 許多



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 10:30 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-C H092102-03			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fuet-chin 許



電話：(03)3161590
傳真：(03)3466781

委託單位：鈺興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 10 時 30 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

檢驗室主管（簽名蓋章）：許桂秋 $\frac{P}{14}$



R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:07 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-A H092102-18			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fuer-chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 11 時 07 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:10 September.21, 2020

Sample Receipt: 15:00 September.21, 2020

Sample ID : drinking water

Report Date: September.24, 2020

Sample Site :

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-B H092102-19			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109年 09 月 21 日 11 時 10 分
收樣日期： 109年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯 絡 人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。


5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

檢驗室主管（簽名蓋章）

謝扶猷



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:12 September.21, 2020

Sample ID : drinking water

Sample Receipt: 15:00 September.21, 2020

Sample Site :

Report Date: September.24, 2020

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-C H092102-20			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chin



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:14 September.21, 2020

Sample ID : drinking water

Sample Receipt: 15:00 September.21, 2020

Sample Site :

Report Date: September.24, 2020

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-D H092102-21			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chun



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：銘興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 11 時 14 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。


4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

檢驗室主管（簽名蓋章）：



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:16 September.21, 2020

Sample ID : drinking water

Sample Receipt: 15:00 September.21, 2020

Sample Site :

Report Date: September.24, 2020

Report No : IC109H092102

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-E H092102-22			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-chin



編號：T-23-03-01
版次：2.2
日期：99.04.15

電話：(03)3161590
傳真：(03)3466781

委託單位：鎔興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 109 年 09 月 21 日 11 時 16 分
收樣日期： 109 年 09 月 21 日 15 時 00 分
報告日期： 109 年 09 月 24 日
報告編號： IC109H092102
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願自賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

檢驗室主管（簽名蓋章）：許桂林

