

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:28 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			B1-A H010501-01			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.


Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chan 9/12



編號：T-15-03-01
版次：1.0
日期：110.01.01



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:30 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			1F Restaurant H010501-02			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chun 012



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 _____ *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時30分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			1F餐廳 H010501-02			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:33 January.05, 2021

Sample ID : drinking water

Sample Receipt: 15:20 January.05, 2021

Sample Site :

Report Date: January.12, 2021

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Office			
			H010501-03			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :


- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab:

Hsu Kuo-chin



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

採樣日期： 110 年 01 月 05 日 11 時 33 分
收樣日期： 110 年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
實驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:34 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			2F-A H010501-26			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin 1/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

委託單位：鈺興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 110年 01 月 05 日 12 時 34 分
收樣日期： 110年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰


備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

許桂秋 $\frac{9}{12}$



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:32 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			2F-B H010501-25			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chün



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：*

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日12時32分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			2樓-B H010501-25			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:30 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			2F-C H010501-24			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fner-chin P1/2



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：*

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日12時30分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			2樓-C H010501-24			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

聲明書


- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：

許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:12 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F-A H010501-21			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-chen



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 _____ *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日12時12分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			3樓-A H010501-21			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:14 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F-B H010501-22			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose .						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

採樣日期： 110年 01月 05日 12時 14分
收樣日期： 110年 01月 01日 15時 20分
報告日期： 110年 01月 12日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

[illegible]

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

聲明書


(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：許桂林



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:17 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			3F-C H010501-23			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Han fuet-Chan 1/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 110 年 01 月 05 日 12 時 17 分
收樣日期： 110 年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

評枕秋 $\frac{01}{12}$



R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:10 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-A H010501-20			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :


- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab:

Hsu fner-Chun



編號：T-15-03-01
版次：1.0
日期：110.01.01

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:08 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-B H010501-19			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chan 9/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:05 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			4F-C H010501-18			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fuer-chen ½



編號：T-15-03-01
版次：1.0
日期：110.01.01

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:57 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-A H010501-15			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin 許國隆



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：_____*

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時57分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			5樓-A H010501-15			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:59 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-B H010501-16			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuei-Chung



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：*

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時59分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			5樓-B H010501-16			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 12:01 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			5F-C H010501-17			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chan 1/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

採樣日期： 110年 01 月 05 日 12 時 01 分
收樣日期： 110年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

[illegible]

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

聲明書

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。


(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

許桂秋 $\frac{61}{12}$



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:55 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-A H010501-14			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chen 1/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 110年 01 月 05 日 11 時 55 分
收樣日期： 110年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰


備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:52 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-B H010501-13			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

委託單位：鎔興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 110 年 01 月 05 日 11 時 52 分
收樣日期： 110 年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

檢驗室主管（簽名蓋章）：

計檢秋 $\frac{0}{12}$



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:49 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Peng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			6F-C H010501-12			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chun 1/2



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：_____ *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時49分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			6樓-C H010501-12			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

聲明書


- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：

許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:43 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-A H010501-09			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu fner-Chen 01/2



編號：T-15-03-01
版次：1.0
日期：110.01.01

電話：(03)3161590
傳真：(03)3466781

委託單位：錄興國際股份有限公司
業 別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期： 110年 01 月 05 日 11 時 43 分
收樣日期： 110年 01 月 01 日 15 時 20 分
報告日期： 110 年 01 月 12 日
報告編號： IC110H010501
聯絡人： 施國隆、黃國峰

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 " N. D. " 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。

(一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。

(二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

負責人(簽章)：施國隆

報告專用章
輝揚環境檢測(股)公司
負責人:施國隆
檢驗室主任:許桂秋

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:45 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-B H010501-10			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chen 1/2



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼：_____*

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時45分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			7樓-B H010501-10			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。

2. 本報告共 1 頁，分離使用無效。

3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。

4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。

5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:47 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			7F-C H010501-11			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chin 1/2



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 *

電話：(03)3161590
傳真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時47分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢測方法	備註
			7樓-C H010501-11			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 "★" 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:35 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-A H010501-04			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chan 1/2



輝揚環境檢測股份有限公司

編號：T-15-03-01
版次：1.0
日期：110.01.01

行政院環保署認可證環檢字第 099 號
檢驗室地址：桃園市經國路888號5樓之4
採樣行程代碼 _____ *

電 話：(03)3161590
傳 真：(03)3466781

樣品檢驗報告

委託單位：錄興國際股份有限公司
業 別：(業者自述)
樣品基質：飲用水
採樣地址：新竹市
採樣單位：輝揚環境檢測股份有限公司

採樣日期：110年01月05日11時35分
收樣日期：110年01月01日15時20分
報告日期：110年01月12日
報告編號：IC110H010501
聯絡人：施國隆、黃國峰

是否 經 認可	檢 測 項 目	單 位	樣品名稱 / 編號及檢測值	公告 標準值	檢 測 方 法	備 註
			二棟2F-A H010501-04			
★	大腸桿菌群	CFU/100mL	<1	6	NIEA E230.55B	
	以下空白					

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
無機檢測類：許桂秋(ICI-02)、石麒麟(ICI-03)。
2. 本報告共 1 頁，分離使用無效。
3. 檢測項目有標示 " ★ " 者，表示該檢測項目經行政院環保署認可，並依公告檢測方法分析。
4. 低於方法偵測極限之測定值以 "N. D." 表示，並於備註欄註明其方法偵測極限值(MDL)。
5. 本報告僅對樣品負責，不得隨意複製及作為宣傳廣告之用；如樣品委外分析，則於備註處說明委託公司名稱。


聲明書

- (一) 茲保證本報告內容完全依照行政院環保署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
- (二) 吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登錄不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲的處份。

公司名稱：輝揚環境檢測股份有限公司

負責人(簽章)：施國隆

檢驗室主管(簽名蓋章)：許桂秋



HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:36 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-B H010501-05			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-chun



編號：T-15-03-01
版次：1.0
日期：110.01.01

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:37 January.05, 2021

Sample Receipt: 15:20 January.05, 2021

Sample ID : drinking water

Report Date: January.12, 2021

Sample Site :

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-C H010501-06			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chun 01/2



R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:38 January.05, 2021

Sample ID : drinking water

Sample Receipt: 15:20 January.05, 2021

Sample Site :

Report Date: January.12, 2021

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

Approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-D H010501-07			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						


Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permisson of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu Kuo-Chu



編號：T-15-03-01
版次：1.0
日期：110.01.01

第 1 頁 (共 1 頁)

HUI YANG ENVIRONMENTAL MONITOR CO, LTD

R.O.C. EPA Certified : 099

Tel : (03)3161590

Address : FL.5-4 888 Jing-Gwo Road Taoyuan City Taoyuan Taiwan

Fax : (03)3466781

Sampling schedule code: *

Analytical Report of Water

Client: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Sampling Date: 11:39 January.05, 2021

Sample ID : drinking water

Sample Receipt: 15:20 January.05, 2021

Sample Site :

Report Date: January.12, 2021

Report No : IC110H010501

Sample Organization : HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Contact Person : Shih Kuo- Lung

Huang Kuo-Feng

approved	Analytical Item	Unit	Analytical Result	Drinking Water Quality Standards	Analytical Method	Remark
			Second building 2F-E			
			H010501-08			
★	Coliform Group	CFU/100mL	<1	6	NIEA E230.55B	
The followed section is deleted on purpose						

Remark :

- 1 The item marked with ★ means the capability to analyze this item in the lab has been certified by ROC EPA.
- 2 ND means the measurement value is less than the detection limit of that method. The detection limit and its unit (MDL) will also be marked.
- 3 "<the lowest concentration of calibration curve" means the measurement value is less than the lowest concentraion of calibration curve and greater than MDL.
- 4 This report can only be applicable to this sample. Any reproduction or distribution will be prohibited without the permission of the publisher.

Corporation: HUI YANG ENVIRONMENTAL MONITOR CO, LTD

Representative: Shih Kuo- Lung

Approved by Director of Lab: Hsu faer-Chun 1/2

