



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
委託者地址：桃園市平鎮區中豐路南勢二段 127 號
受檢單位：家興人力資源顧問股份有限公司
行業別：自述業別
採樣地點：高雄大學館 338 號 H01/10F
(高雄市楠梓區)
採樣單位：御安淨水企業有限公司
採樣方法：---
採樣行程代碼：---

委託編號：YZ1101C2420
樣品基質：飲用水
檢測目的：定檢
採樣時間：110年07月21日 13時00分
收樣時間：110年07月22日
報告日期：110年07月27日
報告編號：C1102420-1

樣品報告編號		C1100722A				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
<input type="checkbox"/> 以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1101C2420
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：110年07月21日 13時05分
 採樣地點：高雄大學館 338 號 H02/4F 收樣時間：110年07月22日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：110年07月27日
 採樣方法：--- 報告編號：C1102420-2
 採樣行程代碼：---

樣品報告編號		C1100722B				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
<input type="text" value="以下空白"/>								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1101C2420
委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
行業別：自述業別 採樣時間：110年07月21日13時10分
採樣地點：高雄大學館336號H03/4F 收樣時間：110年07月22日
(高雄市楠梓區)
採樣單位：御安淨水企業有限公司 報告日期：110年07月27日
採樣方法：--- 報告編號：C1102420-3
採樣行程代碼：---

樣品報告編號		C1100722C				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館338號H04/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1101C2420
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：110年07月21日13時15分
 收樣時間：110年07月22日
 報告日期：110年07月27日
 報告編號：C1102420-4

樣品報告編號		C1100722D				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1101C2420
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：110年07月21日13時20分
 採樣地點：高雄大學館338號H05/1F 收樣時間：110年07月22日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：110年07月27日
 採樣方法：--- 報告編號：C1102420-5
 採樣行程代碼：---

樣品報告編號		C1100722E				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H06/B 棟 7F (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1101C2420
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：110年07月21日 13時25分
 收樣時間：110年07月22日
 報告日期：110年07月27日
 報告編號：C1102420-6

樣品報告編號		C1100722F				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年7月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1101C2420
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：110年07月21日13時30分
 採樣地點：高雄大學館 H07/A 棟 7F 收樣時間：110年07月22日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：110年07月27日
 採樣方法：--- 報告編號：C1102420-7
 採樣行程代碼：---

樣品報告編號		C1100722G				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1101C2420
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：110年07月21日13時35分
 採樣地點：高雄大學館 H08/A 棟 10F 收樣時間：110年07月22日
 (高雄市楠梓區))
 採樣單位：御安淨水企業有限公司 報告日期：110年07月27日
 採樣方法：--- 報告編號：C1102420-8
 採樣行程代碼：---

樣品報告編號		C1100722H				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	110年07月22日 12時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:00
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-1

Sample Report Number		C1100722A				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:05
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-2

Sample Report Number		C1100722B				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
PASS								



Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:10
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-3

Sample Report Number		C1100722C				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:15
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-4

Table with columns: Sample Report Number, Sample Name(Number), Analyzed Item, Unit, Analytical Value, Start Time of Incubating, Medium, Original Data, Analytical Method, Drinking water standard of EPA, Remarks. Includes a 'PASS' stamp.



Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H05/ 1F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:20
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-5

Sample Report Number		C1100722E				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								
PASS								



Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:25
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-6

Sample Report Number		C1100722F				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07/ Building A 7F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:30
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-7

Sample Report Number		C1100722G				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
			PASS					



Environmental Technology Research Center YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H08/ Building A 10F

Client Number: YZ1101C2420
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/21/2021 13:35
Sample Received: 07/22/2021

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/27/2021
Report Number: C1102420-8

Sample Report Number		C1100722H				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/22/2021 12:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
PASS								