



元智大學環科中心檢測實驗室

Environmental Technology Research Center

YUAN ZE UNIVERSITY

檢驗報告

委託單位： 御安淨水企業有限公司

委託編號： YZ1111C0291

報告編號： C1110291-1~-6

備註：

1. 本樣品報告共7頁不得分離使用。
2. 低於方法偵測極限之檢測值以“ND”表示，並註明其方法偵測極限(MDL)。檢測值前有“*”表示該檢測值介於MDL與定量值(3.3倍MDL)之間，該檢測值僅供參考。
3. 本報告僅對所送樣品負責，不得隨意複製及作為宣傳廣告之用。

聲明書

- (一) 茲保證本報告內容完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行檢測，絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
- (二) 如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
- (三) 本報告保存規定除廢棄物、土壤類為十年外，其餘類別為五年。

機構名稱：財團法人元智大學

負責人(簽章)



實驗室主管：

(Handwritten signature)

無機檢測類
報告簽署人：
FOI-04

(Handwritten signature)

第1頁共7頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時00分

採 樣 地 點：高雄長春一館 1F 飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-1

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時05分

採樣地點：高雄長春一館 2F 飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-2

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時10分

採樣地點：高雄長春一館3F飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-3

採樣行程代碼： ---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時15分

採樣地點：高雄長春一館 4F 飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-4

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 : 御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時20分

採樣地點：高雄長春一館 5F 飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-5

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室
樣品檢驗報告

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時25分

採樣地點：高雄長春一館 6F 飲水機

收樣時間：111年01月19日

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-6

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

Environmental Technology Research Center

YUAN ZE UNIVERSITY

檢驗報告

委託單位： 御安淨水企業有限公司

委託編號： YZ1111C0291

報告編號： C1110291-7~-12

備註：

1. 本樣品報告共7頁不得分離使用。
2. 低於方法偵測極限之檢測值以“ND”表示，並註明其方法偵測極限(MDL)。檢測值前有“*”表示該檢測值介於MDL與定量值(3.3倍MDL)之間，該檢測值僅供參考。
3. 本報告僅對所送樣品負責，不得隨意複製及作為宣傳廣告之用。

聲明書

- (一) 茲保證本報告內容完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行檢測，絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
- (二) 如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造公文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
- (三) 本報告保存規定除廢棄物、土壤類為十年外，其餘類別為五年。

機構名稱：財團法人元智大學

負責人（簽章）



實驗室主管：

第1頁共7頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C0291

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受檢單位：錄興國際股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年01月18日14時00分

採樣地點：高雄長春一館 1F 飲水機

收樣時間：111年01月19日

(高雄市

採樣單位：御安淨水企業有限公司

報告日期：111年01月22日

採樣方法：---

報告編號：C1110291-7

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1111C0291
委託者地址：桃園市平鎮區中豐路南勢二段127號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：111年01月18日14時05分
採樣地點：高雄長春一館2F飲水機 (高雄市)	收樣時間：111年01月19日
採樣單位：御安淨水企業有限公司	報告日期：111年01月22日
採樣方法：---	報告編號：C1110291-8
採樣行程代碼：---	

樣品報告編號		C1110119T				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年01月19日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 3F 飲水機
 (高雄市)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1111C0291
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：111年01月18日14時10分
 收樣時間：111年01月19日
 報告日期：111年01月22日
 報告編號：C1110291-9

樣品報告編號		C1110119U				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年01月19日 12時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1111C0291
委託者地址：桃園市平鎮區中豐路南勢二段127號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：111年01月18日14時15分
採樣地點：高雄長春一館4F飲水機 (高雄市)	收樣時間：111年01月19日
採樣單位：御安淨水企業有限公司	報告日期：111年01月22日
採樣方法：---	報告編號：C1110291-10
採樣行程代碼：---	

樣品報告編號		C1110119V				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年01月19日 12時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
			PASS					

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1111C0291
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：111年01月18日14時20分
採樣地點：高雄長春一館 5F 飲水機 (高雄市)	收樣時間：111年01月19日
採樣單位：御安淨水企業有限公司	報告日期：111年01月22日
採樣方法：---	報告編號：C1110291-11
採樣行程代碼：---	

樣品報告編號		C1110119W				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年01月19日 12時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
				</				

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1111C0291
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：鎩興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：111年01月18日14時25分
採樣地點：高雄長春一館 6F 飲水機 (高雄市)	收樣時間：111年01月19日
採樣單位：御安淨水企業有限公司	報告日期：111年01月22日
採樣方法：---	報告編號：C1110291-12
採樣行程代碼：---	

樣品報告編號		C1110119X				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年01月19日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
			PASS					



Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client : Yuann International Technology Co., Ltd

Client Number : YZ1111C0291

Report Number : C1110291-1~6

Notes

1. This sample report contains seven pages only, No Separation of use;
2. Measuring results below the method detection limit (MDL) are represented as "ND" with the limit value. The symbol "*" marked before the data represents that the measurement is between 3.3* MDL (for reference only) °
3. This report is responsible for accepting the sample only. No part of this report may be reproduced without written permission, and for advertising. °

Declaration

- (I) I certify that this report is complete and correct to the best of my knowledge in accordance with the Taiwan EPA and the relevant authorities' standard environmental analysis methods. I also certify that all data submitted in this report are true and correct. If this report is discovered to be false, I am liable to pay compensation for the loss suffered by the government, and will accept any administrative disciplinary and criminal punishment .
- (II) I understand that any one appointed by the government to carry out the public affairs should be deemed as a public official according to the Criminal Code, and also understand the related offences provided by the Criminal Code and the Statute for Punishment of Corruption. I certify that I will accept the most serious punishment if I commit any offence .
- (III) The preservation regulations of this report are five years except for waste and soil for ten years.

Affiliation: Yuan Ze University



Verification

Report Referee

Chao-Yen Sany

Inorganic Items
Report Referee
FOI-04

MeT- chen Huang

P1/7

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden-Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 1F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/18/2022 14:00

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-1

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden-Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 3F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/18/2022 14:10

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-3

[illegible]

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden-Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 4F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/18/2022 14:15

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-4

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden-Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 5F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/18/2022 14:20

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-5

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden-Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 6F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/18/2022 14:25

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-6

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client : Yuann International Technology Co., Ltd
Client Number : YZ1111C0291
Report Number : C1110291-7~12

Notes

1. This sample report contains seven pages only, No Separation of use;
2. Measuring results below the method detection limit (MDL) are represented as "ND" with the limit value. The symbol "*" marked before the data represents that the measurement is between 3.3* MDL (for reference only) °
3. This report is responsible for accepting the sample only. No part of this report may be reproduced without written permission, and for advertising. °

Declaration

- (I) I certify that this report is complete and correct to the best of my knowledge in accordance with the Taiwan EPA and the relevant authorities' standard environmental analysis methods. I also certify that all data submitted in this report are true and correct. If this report is discovered to be false, I am liable to pay compensation for the loss suffered by the government, and will accept any administrative disciplinary and criminal punishment .
- (II) I understand that any one appointed by the government to carry out the public affairs should be deemed as a public official according to the Criminal Code, and also understand the related offences provided by the Criminal Code and the Statute for Punishment of Corruption. I certify that I will accept the most serious punishment if I commit any offence .
- (III) The preservation regulations of this report are five years except for waste and soil for ten years.

Affiliation: Yuan Ze University



Verification

Report Referee

Chao-Yen Wang

P1/7

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden –Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building 1F Water Dispenser

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose:

Sampling Date: 01/18/2022 14:00

Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/22/2022

Report Number: C1110291-7

Sample Report Number		C1110119S				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/19/2022 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

YUAN ZE UNIVERSITY

Client Number: YZ1111C0291

Sample Base: Drinking Water

Test purpose:

Sampling Date: 01/18/2022 14:05

Sample Received: 01/19/2022

Report Date: 01/22/2022

Report Number: C1110291-8

Sampling Code: ---



Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden -Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building 3F Water Dispenser

Client Number: YZ1111C0291
Sample Base: Drinking Water
Test purpose:
Sampling Date: 01/18/2022 14:10
Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 01/22/2022
Report Number: C1110291-9

Sample Report Number		C1110119U				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/19/2022 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden -Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building 4F Water Dispenser

Client Number: YZ1111C0291
Sample Base: Drinking Water
Test purpose:
Sampling Date: 01/18/2022 14:15
Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 01/22/2022
Report Number: C1110291-10

Sample Report Number		C1110119V				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/19/2022 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

YUAN ZE UNIVERSITY

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building 5F Water Dispenser

Client Number: YZ1111C0291
Sample Base: Drinking Water
Test purpose:
Sampling Date: 01/18/2022 14:20
Sample Received: 01/19/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 01/22/2022
Report Number: C1110291-11

[illegible]

YUAN ZE UNIVERSITY

Plant: Golden-Brother International Co., Ltd.

Sample Base: Drinking Water

Sampling Date: 01/18/2022 14:25

Report Date: 01/22/2022

Report Number: C1110291-12

PASS