



Analytical Report

Report no.: NPD2240269346

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693020
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693020

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至： 111年04月18日14時44分

收樣時間： 111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269320

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實。

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告結果不可部份複製。任何未經授權的變更、偽造、或曲解本報告所測試之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401410

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 2480
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

www.sqs.com.tw

Member of SGS Group



Analytical Report

Report no.: NPD2240269352

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693026
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring


Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Member of SGS Group



Analytical Report

Report no.: NPD2240269345

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693019
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.



Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位： 錄興國際股份有限公司

業 別：*

樣品特性：水樣

樣品編號：NPD22402693019

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269319

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

以本公司人員最佳之專業技能，
 檢測。絕無虛偽不實。
 處罰檢驗科技股份有限公
 我不實偽造文書及貪污罪
 負 責 人：李 仁 變
 驗 室 主 管：郭 淑 清

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為非法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401409

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 2480
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

16 新北市五股區新北產業園區五工路136-1號
www.sqs.com.tw

Member of SGS Group



Analytical Report

Report no.: NPD2240269342

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693016
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:


Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



聯絡人：陳癸分

Member of SGS Group



Analytical Report

Report no.: NPD2240269343

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693017
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Member of SGS Group



Analytical Report

Report no.: NPD2240269344

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693018
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Member of SGS Group



Analytical Report

Report no.: NPD2240269341

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693015
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring


Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2240269340

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:


Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693014
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693014

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269314

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。


(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401404

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 2400
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

116 新北市五股區新北產業園區五工路136-1號
www.sqs.com.tw

Member of SGS Group



Analytical Report

Report no.: NPD2240269339
Page no.: 1 OF 1
Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693013
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Seen
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位： 錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693013

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269313

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2. 當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實。

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例


之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

孫宏謀



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401403

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 248
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

16 新北市五股區新北產業園區五工路136-1號
www.sqs.com.tw

Member of SGS Group



Analytical Report

Report no.: NPD2240269336

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693010
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Member of SGS Group



Analytical Report

Report no.: NPD2240269337

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693011
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Sen
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位： 錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693011

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269311

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑罰。


(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可僅份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401 401

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 2480
 t (886-2) 2299-3939 f (886-2) 2299-3261

16 新北市五股區新北產業園區五工路136-1號
www.sqs.com.tw

Member of SGS Group



Analytical Report

Report no.: NPD2240269338

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693012
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring


Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:


Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.



Sen
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



聯絡人：陳癸分

Member of SGS Group

Analytical Report

Report no.: NPD2240269335
Page no.: 1 OF 1
Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693009
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring
Sampled date: Apr. 18, 2022
Received date: Apr. 18, 2022

Test Results:


Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



聯絡人：陳癸分

檢驗室主管：

Member of SGS Group



Analytical Report

Report no.: NPD2240269334

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693008
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693008

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269308

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知識，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

報生惠用章
以本公司人員最佳之專探知能
檢測。編無虛偽。不實有限。公司
事處真。我股防有。限公
登載不實。偽造文書及貪污。非係
員貴。人李李仁
拾粉室主管郭淑
變清

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 248
t (886-2) 2299-3939 f (886-2) 2299-3261

TWD 5401398
16 新北市五股區新北產業園區五工路136-1號
www.sgs.com.tw

Member of SGS Group

2002



Analytical Report

Report no.: NPD2240269333

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693007
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Member of SGS Group



Analytical Report

Report no.: NPD2240269330

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693004
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693004

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269304

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2. 當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測，絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員貪污不實偽造文書及貪污治罪條例

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401394

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 248
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

16 新北市五股區新北產業園區五工路136-1號
WWW.SQS.COM.TW

Member of SGS Group



Analytical Report

Report no.: NPD2240269331

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693005
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2240269332

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693006
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)


- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.



Sen
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWC 4644212



聯絡人：陳癸分

Member of SGS Group



Analytical Report

Report no.: NPD2240269329

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693003
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Sam
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

聯絡人：陳癸分

孫宏謀

下樣刑罰

報告書

以本公司人員最佳之專業技能
檢測絕無虛偽不實
處務醫藥技術股份有限公
登載不實偽造文書及貪污罪條
自負責人：李仁
貽驗室主管：郭淑
雙清

Member of SGS Group



Analytical Report

Report no.: NPD2240269328

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693002
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2240269327

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.

Matrix: Water sample

Sample no.: NPD22402693001

Sampled by: SGS Taiwan Ltd.,

Sampling method: NIEA W101.56A

Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.



Sen
Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

聯絡人：陳癸分

张宗棠代

Member of SGS Group



Analytical Report

Report no.: NPD2240269347

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693021
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2240269348

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693022
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:


Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



聯絡人：陳癸分

Member of SGS Group



Analytical Report

Report no.: NPD2240269349

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693023
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Member of SGS Group



Analytical Report

Report no.: NPD2240269350

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693024
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2240269351

Page no.: 1 OF 1

Date reported: Apr. 22, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
Matrix: Water sample
Sample no.: NPD22402693025
Sampled by: SGS Taiwan Ltd.,
Sampling method: NIEA W101.56A
Sampling location:

Analytical purpose: Periodic monitoring

Sampled date: Apr. 18, 2022

Received date: Apr. 18, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Chieh Sun, M.S./ Supervisor
SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位： 錄興國際股份有限公司

業 別：＊

樣品特性：水樣

樣品編號：NPD22402693025

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年04月18日13時30分

至：111年04月18日14時44分

收樣時間：111年04月18日16時50分

報告日期：111年04月22日

報告編號： NPD2240269325

聯絡人：陳癸分

[illegible]

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)；無機檢測類：孫宏潔(FII-03)。

2.當測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低點濃度時，

以“<檢測報告最低位數單位值”表示，並括號註明其實測值。

3. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4. 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 1.5×10^2 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，

完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實。

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5401415

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No.136-1, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 2480
 ☎ (886-2) 2299-3939 ☎ (886-2) 2299-3261

www.sgs.com.tw

Member of SGS Group