



Analytical Report

Report no.: NPD2250370547
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:


Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705021
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370548
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705022
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-DocumenL.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370549
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705023
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Analytical Report

Report no.: NPD2250370550
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705024
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370551

Page no.: 1 OF 1

Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705025
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong

Robert Zhong, M.R./ Testing Specialist

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Analytical Report

Report no.: NPD2250370552
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705026
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370545
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705019
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370546
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705020
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documen.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Analytical Report

Report no.: NPD2250370542
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705016
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號

飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
 業別：*
 樣品特性：水樣
 樣品編號：NPD22503705016
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新竹市

檢測目的：定期檢測
 採樣時間：111年05月27日13時00分
 至：111年05月27日13時50分
 收樣時間：111年05月27日18時40分
 報告日期：111年06月02日
 報告編號：NPD2250370516
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705016 (第一棟2F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 採樣：孫宏潔(FII-03)；無機檢測類：鐘鴻文(FII-27)。
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
 負責人：李仁燮
 檢驗室主管：鐘鴻文代

專用章
 台灣檢驗科技股份有限公司
 環境實驗室-台北
 負責人：李仁燮
 檢驗室主管：郭淑清

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5409811

3003



Analytical Report

Report no.: NPD2250370543
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705017
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號

飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業別：*

樣品特性：水樣

樣品編號：NPD22503705017

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.56A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：111年05月27日13時00分

至：111年05月27日13時50分

收樣時間：111年05月27日18時40分

報告日期：111年06月02日

報告編號：NPD2250370517

聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705017 (第一棟2F-B)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 採樣：孫宏潔(FH-03)；無機檢測類：鍾鴻文(FH-27)。
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
 負責人：李仁燮
 檢驗室主管：鍾鴻文

台灣檢驗科技股份有限公司
 環境實驗室-台北
 負責人：李仁燮
 檢驗室主管：郭淑清

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違反者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



Analytical Report

Report no.: NPD2250370544
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705018
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



台灣檢驗科技股份有限公司
行政院環保署許可證字號:環署環檢字第035號
飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
業別：*
樣品特性：水樣
樣品編號：NPD22503705018
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.56A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：111年05月27日13時00分
 至：111年05月27日13時50分
收樣時間：111年05月27日18時40分
報告日期：111年06月02日
報告編號：NPD2250370518
聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705018 (第一棟2F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)；無機檢測類：鐘鴻文(FII-27)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願自連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：鐘鴻文

專用章
台灣檢驗科技股份有限公司
環境實驗室-台北
負責人：李仁燮
檢驗室主管：郭淑清

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5409813



Analytical Report

Report no.: NPD2250370539
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705013
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370540
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705014
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370541
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705015
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370536
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705010
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370537

Page no.: 1 OF 1

Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705011
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Analytical Report

Report no.: NPD2250370538
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705012
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號

飲用水樣品檢測報告




受驗單位：錄興國際股份有限公司
 業別：*
 樣品特性：水樣
 樣品編號：NPD22503705012
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新竹市


檢測目的：定期檢測
 採樣時間：111年05月27日 13時00分
 至：111年05月27日 13時50分
 收樣時間：111年05月27日 18時40分
 報告日期：111年06月02日
 報告編號：NPD2250370512
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705012 (4F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 採樣：孫宏潔(FII-03)；無機檢測類：鐘鴻文(FII-27)。
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測，絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
 負責人：李仁燮
 檢驗室主管：


 環境實驗室-台北
 負責人：李仁燮
 檢驗室主管：郭淑清

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

Analytical Report

Report no.: NPD2250370535
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705009
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號

飲用水樣品檢測報告



受驗單位：錄興國際股份有限公司
 業別：*
 樣品特性：水樣
 樣品編號：NPD22503705009
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新竹市

檢測目的：定期檢測
 採樣時間：111年05月27日13時00分
 至：111年05月27日13時50分
 收樣時間：111年05月27日18時40分
 報告日期：111年06月02日
 報告編號：NPD2250370509
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705009 (5F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 採樣：孫宏潔(FII-03)；無機檢測類：鍾鴻文(FII-27)。
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。
 聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實。如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
 公司名稱：台灣檢驗科技股份有限公司
 負責人：李仁燮
 檢驗室主管：鍾鴻文代

台灣檢驗科技股份有限公司
 環境實驗室-台北
 負責人：李仁燮
 檢驗室主管：郭淑清

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWD 5409804



Analytical Report

Report no.: NPD2250370534
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705008
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號

飲用水樣品檢測報告




受驗單位：錄興國際股份有限公司
業別：*
樣品特性：水樣
樣品編號：NPD22503705008
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.56A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：111年05月27日13時00分
至：111年05月27日13時50分
收樣時間：111年05月27日18時40分
報告日期：111年06月02日
報告編號：NPD2250370508
聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705008 (5F-B)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)；無機檢測類：鐘鴻文(FII-27)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。
聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：鐘鴻文



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



Analytical Report

Report no.: NPD2250370533
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705007
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



台灣檢驗科技股份有限公司
 行政院環保署許可證字號:環署環檢字第035號
飲用水 樣品 檢測 報告

受驗單位：錄興國際股份有限公司
 業別：*
 樣品特性：水樣
 樣品編號：NPD22503705007
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新竹市

檢測目的：定期檢測
 採樣時間：111年05月27日13時00分
 至：111年05月27日13時50分
 收樣時間：111年05月27日18時40分
 報告日期：111年06月02日
 報告編號：NPD2250370507
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD22503705007 (5F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 採樣：孫宏潔(FII-03)；無機檢測類：鍾鴻文(FII-27)。
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10²。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
 負責人：李仁燮
 檢驗室主管：

總經理用章
 台灣檢驗科技股份有限公司
 環境實驗室-台北
 負責人：李仁燮
 檢驗室主管：郭淑濟

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



Analytical Report

Report no.: NPD2250370530
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705004
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370531
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705005
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370532
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705006
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司

行政院環保署許可證字號:環署環檢字第035號




飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
業別：*
樣品特性：水樣
樣品編號：NPD22503705006
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.56A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：111年05月27日13時00分
至：111年05月27日13時50分
收樣時間：111年05月27日18時40分
報告日期：111年06月02日
報告編號：NPD22503705006
聯絡人：陳癸分

Table with 3 columns: 樣品編號及位置, 大腸桿菌群 檢驗值(單位) NIEA E230.55B, 備註. Row 1: 飲用水水質標準, 6 (CFU/100mL). Row 2: NPD22503705006 (6F-C), <1 (CFU/100mL). Row 3: 以下空白.

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)；無機檢測類：鐘鴻文(FII-27)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10^2。
聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：鐘鴻文



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

3003



Analytical Report

Report no.: NPD2250370529
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705003
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Analytical Report

Report no.: NPD2250370528
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705002
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Analytical Report

Report no.: NPD2250370527
 Page no.: 1 OF 1
 Date reported: Jun. 02, 2022

Description:

Client name: GOLDEN BROTHER INTERNATIONAL CO., LTD.
 Matrix: Water sample
 Sample no.: NPD22503705001
 Sampled by: SGS Taiwan Ltd.,
 Sampling method: NIEA W101.56A
 Sampling location:

Analytical purpose: Periodic monitoring
 Sampled date: May. 27, 2022
 Received date: May. 27, 2022

Test Results:

Parameter	Test Result (Unit)	Test Method	Drinking Water Standards
Coliform Group	<1 (CFU/100mL)	NIEA E230.55B	6 (CFU/100mL)

- Remark:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.



Robert Zhong
 Robert Zhong, M.R./ Testing Specialist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

