

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C3405

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受 檢 單 位：家興人力資源顧問股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年09月14日14時00分

採樣地點：高雄大學館 338 號 H01/10F

收樣時間：111年09月15日

(高雄市楠梓區)

採樣單位：御安淨水企業有限公司

報告日期：111年09月23日

採樣方法：---

報告編號：C1113405-1

採樣行程代碼：---

[illegible]



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時05分
 採樣地點：高雄大學館338號H02/4F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-2
 採樣行程代碼：---

樣品報告編號		C1110915J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時10分
 採樣地點：高雄大學館336號H03/4F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-3
 採樣行程代碼：---

樣品報告編號		C1110915K				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時15分
 採樣地點：高雄大學館338號H04/1F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-4
 採樣行程代碼：---

樣品報告編號		C1110915L				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時20分
 採樣地點：高雄大學館338號H05/1F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-5
 採樣行程代碼：---

樣品報告編號		C1110915M				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時25分
 採樣地點：高雄大學館H06/B棟7F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-6
 採樣行程代碼：---

樣品報告編號		C1110915N				檢驗方法	環保署飲用水標準值	備註欄			
原樣名稱或編號		飲用水									
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據						
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6				
以下空白											



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時30分
 採樣地點：高雄大學館H07/A棟7F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-7
 採樣行程代碼：---

樣品報告編號		C11109150				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時35分
 採樣地點：高雄大學館H08/A棟10F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-8
 採樣行程代碼：---

樣品報告編號		C1110915P				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	111年09月15日 11時00分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H01/10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1111C3405
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：111年09月14日 14時00分
 收樣時間：111年09月15日
 報告日期：111年09月23日
 報告編號：C1113405-9

樣品報告編號		C1110915I				檢驗方法	環保署飲用水標準值	備註欄			
原樣名稱或編號		飲用水									
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據						
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100				
以下空白											
		PASS									

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時05分
 採樣地點：高雄大學館338號H02/4F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-10
 採樣行程代碼：---

樣品報告編號		C1110915J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時10分
 採樣地點：高雄大學館336號H03/4F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-11
 採樣行程代碼：---

樣品報告編號		C1110915K				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館338號H04/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1111C3405
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：111年09月14日14時15分
 收樣時間：111年09月15日
 報告日期：111年09月23日
 報告編號：C1113405-12

樣品報告編號		C1110915L				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時20分
 採樣地點：高雄大學館338號H05/1F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-13
 採樣行程代碼：---

樣品報告編號		C1110915M				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時25分
 採樣地點：高雄大學館H06/B棟7F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-14
 採樣行程代碼：---

樣品報告編號		C1110915N				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館H07/A棟7F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1111C3405
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：111年09月14日14時30分
 收樣時間：111年09月15日
 報告日期：111年09月23日
 報告編號：C1113405-15

樣品報告編號		C11109150				檢驗方法	環保署飲用水標準值	備註欄			
原樣名稱或編號		飲用水									
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據						
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100				
以下空白											

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1111C3405
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：111年09月14日14時35分
 採樣地點：高雄大學館H08/A棟10F 收樣時間：111年09月15日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：111年09月23日
 採樣方法：--- 報告編號：C1113405-16
 採樣行程代碼：---

樣品報告編號		C1110915P				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1111C3405

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 14:05

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/23/2022

Report Number: C1113405-2

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07/ Building A 7F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:30
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-7

[illegible]

Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H08/ Building A 10F

Client Number: YZ1111C3405

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 14:35

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/23/2022

Report Number: C1113405-8

[illegible]

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:00
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-9

Sample Report Number		C1110915I				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:05
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-10

Sample Report Number		C1110915J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:10
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-11

Sample Report Number		C1110915K				Analytical Method	Drinking water standard of EPA	Remarks			
Sample Name(Number)		Drinking fountain									
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data						
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100				
The END											

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:15
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-12

Sample Report Number		C1110915L				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H05/ 1F

Client Number: YZ1111C3405
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/14/2022 14:20
Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/23/2022
Report Number: C1113405-13

Sample Report Number		C1110915M				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1111C3405

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 14:25

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/23/2022

Report Number: C1113405-14

Sample Report Number		C1110915N				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H07/ Building A 7F

Client Number: YZ1111C3405

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 14:30

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/23/2022

Report Number: C1113405-15

Sample Report Number		C11109150				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Analysis Report

Sample Received: 09/15/2022

Sampling Code: ---



元智大學環科中心檢測實驗室
樣品檢驗報告

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1111C3407

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受 檢 單 位：家興人力資源顧問股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：111年09月14日15時00分

採樣地點：高雄大學館 1F 飲水機

收樣時間：111年09月15日

(高雄市楠梓區)

採樣單位：御安淨水企業有限公司

報告日期：111年09月23日

採樣方法：---

報告編號：C1113407-1

採樣行程代碼：---

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 1F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1111C3407
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：111年09月14日 15時00分
 收樣時間：111年09月15日
 報告日期：111年09月23日
 報告編號：C1113407-2

樣品報告編號		C1110915R				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	111年09月15日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

PASS

Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory 1F water dispenser

Client Number: YZ1111C3407

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 15:00

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Report Date: 09/23/2022

Sampling Method: ---

Report Number: C1113407-1

Sampling Code: ---

[illegible]

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory 1F water dispenser

Client Number: YZ1111C3407

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/14/2022 15:00

Sample Received: 09/15/2022

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/23/2022

Report Number: C1113407-2

Sample Report Number		C1110915R				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/15/2022 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS