



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1121C2644
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：112年07月05日11時00分
 採樣地點：龜山文華館 C02/2F 飲水機 收樣時間：112年07月06日
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司 報告日期：112年07月17日
 採樣方法：--- 報告編號：C1122644-1
 採樣行程代碼：---

樣品報告編號		C1120706G				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：龜山文華館 C09/2F 飲水機
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1121C2644
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年07月05日11時05分
 收樣時間：112年07月06日
 報告日期：112年07月17日
 報告編號：C1122644-2

樣品報告編號		C1120706H				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：龜山文華館 C10/2F 飲水機
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1121C2644
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年07月05日11時10分
 收樣時間：112年07月06日
 報告日期：112年07月17日
 報告編號：C1122644-3

樣品報告編號		C1120706I				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1121C2644
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：112年07月05日11時15分
 採樣地點：龜山文華館C11/2F飲水機 收樣時間：112年07月06日
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司 報告日期：112年07月17日
 採樣方法：--- 報告編號：C1122644-4
 採樣行程代碼：---

樣品報告編號		C1120706J				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：龜山文華館 C12/2F 飲水機
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1121C2644
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年07月05日 11時20分
 收樣時間：112年07月06日
 報告日期：112年07月17日
 報告編號：C1122644-5

樣品報告編號		C1120706K				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：龜山文華館 C13/2F 飲水機
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1121C2644
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年07月05日11時25分
 收樣時間：112年07月06日
 報告日期：112年07月17日
 報告編號：C1122644-6

樣品報告編號		C1120706L				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
委託者地址：桃園市平鎮區中豐路南勢二段127號
受檢單位：家興人力資源顧問股份有限公司
行業別：自述業別
採樣地點：龜山文華館C14/1F飲水機
(桃園市龜山區)

委託編號：YZ1121C2644
樣品基質：飲用水
檢測目的：定檢
採樣時間：112年07月05日11時30分
收樣時間：112年07月06日

採樣單位：御安淨水企業有限公司
採樣方法：---
採樣行程代碼：---

報告日期：112年07月17日
報告編號：C1122644-7

樣品報告編號		C1120706M				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：龜山文華館 C15/1F 飲水機
 (桃園市龜山區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1121C2644
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年07月05日11時35分
 收樣時間：112年07月06日
 報告日期：112年07月17日
 報告編號：C1122644-8

樣品報告編號		C1120706N				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年07月06日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								

PASS



Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C02/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:00
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-1

Sample Report Number		C1120706G				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center
 YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C09/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:05
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-2

Sample Report Number		C1120706H				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
			PASS					



Environmental Technology Research Center YUAN ZE UNIVERSITY Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C10/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:10
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-3

Sample Report Number		C1120706I				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
PASS								



Environmental Technology Research Center
 YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C11/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:15
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-4

Sample Report Number		C1120706J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
			PASS					



Accreditation number by EPA : 041

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C12/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:20
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-5

Sample Report Number		C1120706K				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
			PASS					



Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C13/2F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:25
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-6

Sample Report Number		C1120706L				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Lucky dorm C14/1F drinking fountain

Client Number: YZ1121C2644
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/05/2023 11:30
Sample Received: 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2023
Report Number: C1122644-7

Sample Report Number		C1120706M				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Environmental Technology Research Center YUAN ZE UNIVERSITY Analysis Report

Client: Yuann International Technology Co., Ltd **Client Number:** YZ1121C2644
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan
County, Taiwan (R.O.C.) **Sample Base:** Drinking Water
Plant: Golden Li H.R Consultant Co., Ltd **Test purpose:** Regular inspection
IndustrialType: --- **Sampling Date:** 07/05/2023 11:35
Sampling Site: Lucky dorm C15/1F drinking fountain **Sample Received:** 07/06/2023

Sampling Organization: Yuann International Technology Co., Ltd **Report Date:** 07/17/2023
Sampling Method: --- **Report Number:** C1122644-8
Sampling Code: ---

Sample Report Number		C1120706N				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/06/2023 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
				PASS				