

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位	: 御安淨水企業有限公司	委託編號	: YZ1121C3587
委託者地址	: 桃園市平鎮區中豐路南勢二段 127 號	樣品基質	: 飲用水
受檢單位	: 家興人力資源顧問股份有限公司	檢測目的	: 定檢
行業別	: 自述業別	採樣時間	: 112年09月10日16時00分
採樣地點	: 高雄大學館 338 號 H01/10F (高雄市楠梓區)	收樣時間	: 112年09月11日
採樣單位	: 御安淨水企業有限公司	報告日期	: 112年09月21日
採樣方法	: ---	報告編號	: C1123587-1
採樣行程代碼	: ---		

[illegible]

第2頁 共12頁



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1121C3587
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：112年09月10日16時10分
 採樣地點：高雄大學館 336 號 H03/4F 收樣時間：112年09月11日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：112年09月21日
 採樣方法：--- 報告編號：C1123587-3
 採樣行程代碼：---

樣品報告編號		C1120911H				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年09月11日 12時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								
						</		

第4頁共12頁



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1121C3587
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：112年09月10日16時20分
 採樣地點：高雄大學館 338 號 H05/1F 收樣時間：112年09月11日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：112年09月21日
 採樣方法：--- 報告編號：C1123587-5
 採樣行程代碼：---

樣品報告編號		C1120911J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年09月11日 12時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						

第6頁共12頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1121C3587

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受 檢 單 位：家興人力資源顧問股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：112年09月10日16時30分

採樣地點：高雄大學館 H07/A 棟 7F

收樣時間：112年09月11日

(高雄市楠梓區)

採樣單位：御安淨水企業有限公司

報告日期：112年09月21日

採樣方法：---

報告編號：C1123587-7

採樣行程代碼：---

[illegible]

第8頁共12頁



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
委託者地址：桃園市平鎮區中豐路南勢二段 127 號
受檢單位：家興人力資源顧問股份有限公司
行業別：自述業別
採樣地點：高雄大學館 H10/12F 飲水機
(高雄市楠梓區)
採樣單位：御安淨水企業有限公司
採樣方法：---
採樣行程代碼：---

委託編號：YZ1121C3587
樣品基質：飲用水
檢測目的：定檢
採樣時間：112年09月10日16時45分
收樣時間：112年09月11日
報告日期：112年09月21日
報告編號：C1123587-10

樣品報告編號		C11209110				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	112年09月11日 12時00分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								
		PASS						

第11頁共12頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H01/10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時00分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-12

樣品報告編號		C1120910F				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H02/4F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時05分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-13

樣品報告編號		C1120910G				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 336 號 H03/4F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時10分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-14

樣品報告編號		C1120910H				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H04/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時15分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-15

樣品報告編號		C1120910I				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H05/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時20分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-16

樣品報告編號		C1120910J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

樣品檢驗報告

[illegible]

檢驗室地址：桃園市中壢區遠東路 128 號 聯絡人：陳秀雲
電話：(03)455-8017 傳真：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館H07/A棟7F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時30分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-18

樣品報告編號		C1120910L				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H08/A 棟 10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：--
 採樣行程代碼：---

委託編號：YZ1121C3587
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：112年09月10日16時35分
 收樣時間：112年09月11日
 報告日期：112年09月21日
 報告編號：C1123587-19

樣品報告編號		C1120910M				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	112年09月11日 12時00分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

樣品檢驗報告

[illegible]


元智大學環科中心檢測實驗室
樣品檢驗報告

委託單位：	御安淨水企業有限公司	委託編號：	YZ1121C3587
委託者地址：	桃園市平鎮區中豐路南勢二段 127 號	樣品基質：	飲用水
受檢單位：	家興人力資源顧問股份有限公司	檢測目的：	定檢
行業別：	自述業別	採樣時間：	112年09月10日16時45分
採樣地點：	高雄大學館 H10/12F 飲水機 (高雄市楠梓區)	收樣時間：	112年09月11日
採樣單位：	御安淨水企業有限公司	報告日期：	112年09月21日
採樣方法：	--	報告編號：	C1123587-21
採樣行程代碼：	---		

[illegible]


樣品檢驗報告

[illegible]



Client: Yuann International Technology Co., Ltd	Client Number: YZ1121C3587
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)	Sample Base: Drinking Water
Plant: Golden Li H.R Consultant Co., Ltd	Test purpose: Regular inspection
IndustrialType: ---	Sampling Date: 09/10/2023 16:00
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F	Sample Received: 09/11/2023
Sampling Organization: Yuann International Technology Co., Ltd	Report Date: 09/21/2023
Sampling Method: ---	Report Number: C1123587-1
Sampling Code: ---	

P2/12



YUAN ZE UNIVERSITY

Analysis Report

Client Number: YZ1121C3587

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/10/2023 16:05

Sample Received: 09/11/2023

Report Date: 09/21/2023

Report Number: C1123587-2

Sampling Code: ---

P3/12

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H08/ Building A 10F

Client Number: YZ1121C3587

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/10/2023 16:35

Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/21/2023

Report Number: C1123587-19

Sample Report Number		C1120911M				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Analysis Report

Client Number: YZ1121C3587

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/10/2023 16:40

Sample Received: 09/11/2023

Report Date: 09/21/2023

Report Number: C1123587-20

Sampling Code: ---



Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H10/ 12F water dispenser

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:45
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/21/2023
Report Number: C1123587-21

Sample Report Number		C1120911O				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1121C3587

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/10/2023 16:50

Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/21/2023

Report Number: C1123587-22

Sample Report Number		C1120911P				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1121C3587

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/10/2023 16:00

Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 09/21/2023

Report Number: C1123587-12

Sample Report Number		C1120911F				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:05
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/21/2023
Report Number: C1123587-13

Sample Report Number		C1120911G				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:15
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/21/2023
Report Number: C1123587-15

Sample Report Number		C1120911I				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H05/ 1F

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:20
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 09/21/2023
Report Number: C1123587-16

Sample Report Number		C1120911J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:25
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/21/2023
Report Number: C1123587-17

Sample Report Number		C1120911K				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07/ Building A 7F

Client Number: YZ1121C3587
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/10/2023 16:30
Sample Received: 09/11/2023

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/21/2023
Report Number: C1123587-18

Sample Report Number		C1120911L				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/11/2023 12:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS