



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C0073
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年01月04日14時00分
 採樣地點：高雄大學館 338 號 H01/10F 收樣時間：113年01月05日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年01月10日
 採樣方法：--- 報告編號：C1130073-1
 採樣行程代碼：---

樣品報告編號		C1130105A				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年01月05日 11時30分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								

第2頁共12頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位：御安淨水企業有限公司

委託編號：YZ1131C0073

委託者地址：桃園市平鎮區中豐路南勢二段127號

樣品基質：飲用水

受 檢 單 位：家興人力資源顧問股份有限公司

檢測目的：定檢

行 業 別 : 自述業別

採樣時間：113年01月04日14時10分

採樣地點：高雄大學館 336 號 H03/4F

收樣時間：113年01月05日

(高雄市楠梓區)

採樣單位：御安淨水企業有限公司

報告日期：113年01月10日

採樣方法：---

報告編號：C1130073-3

採樣行程代碼：---

[illegible]

第4頁共12頁



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C0073
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年01月04日14時50分
 採樣地點：高雄大學館 H11/12F 飲水機 收樣時間：113年01月05日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年01月10日
 採樣方法：--- 報告編號：C1130073-11
 採樣行程代碼：---

樣品報告編號		C1130105K				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年01月05日 11時30分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								
		PASS						
				</				

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H01/10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C0073
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年01月04日14時00分
 收樣時間：113年01月05日
 報告日期：113年01月10日
 報告編號：C1130073-12

樣品報告編號		C1130104A				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年01月05日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								
		PASS						

第2頁共12頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H02/4F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C0073
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年01月04日14時05分
 收樣時間：113年01月05日
 報告日期：113年01月10日
 報告編號：C1130073-13

樣品報告編號		C1130104B				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年01月05日 11時30分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
		PASS						

元智大學環科中心檢測實驗室
樣品檢驗報告

委託單位：	御安淨水企業有限公司	委託編號：	YZ1131C0073
委託者地址：	桃園市平鎮區中豐路南勢二段 127 號	樣品基質：	飲用水
受檢單位：	家興人力資源顧問股份有限公司	檢測目的：	定檢
行業別：	自述業別	採樣時間：	113年01月04日14時10分
採樣地點：	高雄大學館 336 號 H03/4F (高雄市楠梓區)	收樣時間：	113年01月05日
採樣單位：	御安淨水企業有限公司	報告日期：	113年01月10日
採樣方法：	---	報告編號：	C1130073-14
採樣行程代碼：	---		

[illegible]

樣品檢驗報告

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H06/B 棟 7F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C0073
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年01月04日14時25分
 收樣時間：113年01月05日
 報告日期：113年01月10日
 報告編號：C1130073-17

樣品報告編號		C1130104F				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年01月05日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

樣品檢驗報告

[illegible]

樣品檢驗報告

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H09/1F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C0073
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年01月04日14時40分
 收樣時間：113年01月05日
 報告日期：113年01月10日
 報告編號：C1130073-20

樣品報告編號		C1130104I				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年01月05日 11時30分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告


委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H10/12F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C0073
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年01月04日14時45分
 收樣時間：113年01月05日
 報告日期：113年01月10日
 報告編號：C1130073-21

樣品報告編號		C1130104J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年01月05日 11時30分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
		PASS						


樣品檢驗報告

[illegible]



Client: Yuann International Technology Co., Ltd	Client Number: YZ1131C0073
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)	Sample Base: Drinking Water
Plant: Golden Li H.R Consultant Co., Ltd	Test purpose: Regular inspection
IndustrialType: ---	Sampling Date: 01/04/2024 14:10
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F	Sample Received: 01/05/2024
Sampling Organization: Yuann International Technology Co., Ltd	Report Date: 01/10/2024
Sampling Method: ---	Report Number: C1130073-3
Sampling Code: ---	

P4/12



Analysis Report

Client Number: YZ1131C0073

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/04/2024 14:15


Sample Received: 01/05/2024

Report Date: 01/10/2024

Report Number: C1130073-4

Sampling Code: ---


P5/12



Client Number: YZ1131C0073
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 01/04/2024 14:25
Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 01/10/2024
Report Number: C1130073-6



Analysis Report

Client Number: YZ1131C0073

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/04/2024 14:40

Sample Received: 01/05/2024

Report Date: 01/10/2024

Report Number: C1130073-9

Sampling Code: ---

P10/12

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1131C0073
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 01/04/2024 14:00
Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 01/10/2024
Report Number: C1130073-12

Sample Report Number		C1130105A				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/05/2024 11:30	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1131C0073

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/04/2024 14:05

Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/10/2024

Report Number: C1130073-13

Sample Report Number		C1130105B				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/05/2024 11:30	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								
			PASS					

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1131C0073

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 01/04/2024 14:10

Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd

Sampling Method: ---

Sampling Code: ---

Report Date: 01/10/2024

Report Number: C1130073-14

Sample Report Number		C1130105C				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/05/2024 11:30	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Analysis Report

Report Number: C1130073-15



Analysis Report

Report Number: C1130073-16



Analysis Report

Report Number: C1130073-17

P7/12

Analysis Report

Report Number: C1130073-19



Analysis Report

Client Number: YZ1131C0073
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 01/04/2024 14:40
Sample Received: 01/05/2024

Report Date: 01/10/2024
Report Number: C1130073-20



Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H10/ 12F water dispenser

Client Number: YZ1131C0073
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 01/04/2024 14:45
Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 01/10/2024
Report Number: C1130073-21

Sample Report Number		C1130105J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/05/2024 11:30	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1131C0073
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 01/04/2024 14:50
Sample Received: 01/05/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 01/10/2024
Report Number: C1130073-22

Sample Report Number		C1130105K				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	01/05/2024 11:30	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS