



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 336 號 H03/4F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1141C0831
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：114年02月27日11時10分
 收樣時間：114年02月27日
 報告日期：114年03月05日
 報告編號：C1140831-3

樣品報告編號		C1140227AF				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	114年02月27日 18時00分	LES Endo Agar	1 倍/0，0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H05/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1141C0831
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：114年02月27日11時20分
 收樣時間：114年02月27日
 報告日期：114年03月05日
 報告編號：C1140831-5

樣品報告編號		C1140227AH				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	114年02月27日 18時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H08/A 棟 10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1141C0831
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：114年02月27日11時35分
 收樣時間：114年02月27日
 報告日期：114年03月05日
 報告編號：C1140831-8

樣品報告編號		C1140227AK				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	114年02月27日 18時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H11/12F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1141C0831
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：114年02月27日11時50分
 收樣時間：114年02月27日
 報告日期：114年03月05日
 報告編號：C1140831-11

樣品報告編號		C1140227AN				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	114年02月27日 18時00分	LES Endo Agar	1 倍/0 , 0	NIEA E230.55B	6	
以下空白								
		PASS						

樣品檢驗報告

[illegible]

樣品檢驗報告

[illegible]

樣品檢驗報告

[illegible]

樣品檢驗報告

[illegible]

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1141C0831
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：114年02月27日11時35分
 採樣地點：高雄大學館 H08/A 棟 10F 收樣時間：114年02月27日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：114年03月05日
 採樣方法：--- 報告編號：C1140831-19
 採樣行程代碼：---

樣品報告編號		C1140227AK				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	114年02月27日 18時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
						</		


第9頁共12頁

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1141C0831
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：114年02月27日11時45分
 採樣地點：高雄大學館H10/12F飲水機 收樣時間：114年02月27日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：114年03月05日
 採樣方法：--- 報告編號：C1140831-21
 採樣行程代碼：---

樣品報告編號		C1140227AM				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	114年02月27日 18時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								
</								




Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:00
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1140831-1

P2/12



Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F


Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:25
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1140831-6

P7/12


Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)



Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H08 /Building A 10F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:35
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd **Report Date:** 03/05/2025
Sampling Method: --- **Report Number:** C1140831-8
Sampling Code: ---



YUAN ZE UNIVERSITY

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:50
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1140831-11

P12/12

Analysis Report

Sampling Code: ---

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:10
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1134898-14

Sample Report Number		C1140227AF				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:15
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1134898-15

Sample Report Number		C1140227AG				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Analysis Report

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:20
Sample Received: 02/27/2025

Report Date: 03/05/2025
Report Number: C1134898-16

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:25
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 03/05/2025
Report Number: C1134898-17

Sample Report Number		C1140227AI				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07 /Building A 7F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:30
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1134898-18

Sample Report Number		C1140227AJ				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H08 /Building A 10F

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:35
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 03/05/2025
Report Number: C1134898-19

Sample Report Number		C1140227AK				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H09/ 1F water dispenser

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:40
Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 03/05/2025
Report Number: C1134898-20

Sample Report Number		C1140227AL				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	02/27/2025 18:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

Analysis Report

Client Number: YZ1141C0831
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 02/27/2025 11:45
Sample Received: 02/27/2025

Report Date: 03/05/2025
Report Number: C1134898-21

PASS

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden Li H.R Consultant Co., Ltd

IndustrialType: ---

Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1141C0831

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 02/27/2025 11:50

Sample Received: 02/27/2025

Sampling Organization: Yuann International Technology Co., Ltd

Report Date: 03/05/2025

Sampling Method: ---

Report Number: C1134898-22

Sampling Code: ---

[illegible]