元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段 127 號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時00分
採樣地點：燕巢橫山一館 2F 飲水機　　收樣時間：115年09月03日
(高雄市燕巢區　　)
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-1
採樣行程代碼：---

樣品報告編號		C1150903L				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段 127 號　　樣品基質：飲用水
受檢單位：錄興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時05分
採樣地點：燕巢橫山一館 3F 飲水機 (高雄市燕巢區　　)　　收樣時間：115年09月03日
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-2
採樣行程代碼：---

樣品報告編號		C1150903M				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 ：御安淨水企業有限公司　　委 託 編 號 ：YZ1151C4064
委 託 者 地 址 ：桃園市平鎮區中豐路南勢二段 127 號　樣 品 基 質 ：飲用水
受 檢 單 位 ：鎵興國際股份有限公司-高雄分公司　檢 測 目 的 ：定檢
行 業 別 ：自述業別　　採 樣 時 間 ：115年09月02日14時10分
採 樣 地 點 ：燕巢橫山一館 4F 飲水機　　收 樣 時 間 ：115年09月03日
(高雄市燕巢區　　)
採 樣 單 位 ：御安淨水企業有限公司　　報 告 日 期 ：115年09月11日
採 樣 方 法 ：---　　報 告 編 號 ：C1154064-3
採樣行程代碼：---

樣品報告編號		C1150903N				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 ：御安淨水企業有限公司　　委 託 編 號 ：YZ1151C4064
委 託 者 地 址 ：桃園市平鎮區中豐路南勢二段 127 號　樣 品 基 質 ：飲用水
受 檢 單 位 ：鎵興國際股份有限公司-高雄分公司　檢 測 目 的 ：定檢
行 業 別 ：自述業別　　採 樣 時 間 ：115年09月02日14時15分
採 樣 地 點 ：燕巢橫山一館 5F 飲水機　　收 樣 時 間 ：115年09月03日
(高雄市燕巢區　　)
採 樣 單 位 ：御安淨水企業有限公司　　報 告 日 期 ：115年09月11日
採 樣 方 法 ：---　　報 告 編 號 ：C1154064-4
採樣行程代碼：---

樣品報告編號		C1150903O				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段 127 號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時20分
採樣地點：燕巢橫山一館 6F 飲水機 (高雄市燕巢區　　)　　收樣時間：115年09月03日
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-5
採樣行程代碼：---

樣品報告編號		C1150903P				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 ：御安淨水企業有限公司　　委 託 編 號 ：YZ1151C4064
委 託 者 地 址 ：桃園市平鎮區中豐路南勢二段 127 號　樣 品 基 質 ：飲用水
受 檢 單 位 ：鎵興國際股份有限公司-高雄分公司　檢 測 目 的 ：定檢
行 業 別 ：自述業別　　採 樣 時 間 ：115年09月02日14時25分
採 樣 地 點 ：燕巢橫山一館 7F 飲水機　　收 樣 時 間 ：115年09月03日
(高雄市燕巢區　　)
採 樣 單 位 ：御安淨水企業有限公司　　報 告 日 期 ：115年09月11日
採 樣 方 法 ：---　　報 告 編 號 ：C1154064-6
採樣行程代碼：---

樣品報告編號		C1150903Q				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	115年09月03日 11時30分	LES Endo Agar	1倍/0，0	NIEA E230.55B	6	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段127號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時00分
採樣地點：燕巢橫山一館2F飲水機 (高雄市燕巢區　　)　　收樣時間：115年09月03日
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-7
採樣行程代碼：---

樣品報告編號		C1150903L				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路128號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 ：御安淨水企業有限公司　　委 託 編 號 ：YZ1151C4064
委 託 者 地 址 ：桃園市平鎮區中豐路南勢二段127號　　樣 品 基 質 ：飲用水
受 檢 單 位 ：鎵興國際股份有限公司-高雄分公司　　檢 測 目 的 ：定檢
行 業 別 ：自述業別　　採 樣 時 間 ：115年09月02日14時05分
採 樣 地 點 ：燕巢橫山一館3F飲水機　　收 樣 時 間 ：115年09月03日
(高雄市燕巢區　　)
採 樣 單 位 ：御安淨水企業有限公司　　報 告 日 期 ：115年09月11日
採 樣 方 法 ：---　　報 告 編 號 ：C1154064-8
採樣行程代碼：---

樣品報告編號		C1150903M				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路128號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段127號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時10分
採樣地點：燕巢橫山一館4F飲水機　　收樣時間：115年09月03日
(高雄市燕巢區　　)
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-9
採樣行程代碼：---

樣品報告編號		C1150903N				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路128號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委 託 單 位 ： 御安淨水企業有限公司　　委 託 編 號 ： YZ1151C4064
委 託 者 地 址 ： 桃園市平鎮區中豐路南勢二段 127 號　樣 品 基 質 ： 飲用水
受 檢 單 位 ： 鎵興國際股份有限公司-高雄分公司　檢 測 目 的 ： 定檢
行 業 別 ： 自述業別　　採 樣 時 間 ： 115年09月02日14時15分
採 樣 地 點 ： 燕巢橫山一館 5F 飲水機　　收 樣 時 間 ： 115年09月03日
(高雄市燕巢區　　)
採 樣 單 位 ： 御安淨水企業有限公司　　報 告 日 期 ： 115年09月11日
採 樣 方 法 ： ---　　報 告 編 號 ： C1154064-10
採樣行程代碼： ---

樣品報告編號		C1150903O				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日 11時30分	TGE Agar	1 倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路 128 號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段127號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時20分
採樣地點：燕巢橫山一館6F飲水機 (高雄市燕巢區　　)　　收樣時間：115年09月03日
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-11
採樣行程代碼：---

樣品報告編號		C1150903P				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日 11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路128號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司　　委託編號：YZ1151C4064
委託者地址：桃園市平鎮區中豐路南勢二段127號　　樣品基質：飲用水
受檢單位：鎵興國際股份有限公司-高雄分公司　　檢測目的：定檢
行業別：自述業別　　採樣時間：115年09月02日14時25分
採樣地點：燕巢橫山一館7F飲水機(高雄市燕巢區　　)　　收樣時間：115年09月03日
採樣單位：御安淨水企業有限公司　　報告日期：115年09月11日
採樣方法：---　　報告編號：C1154064-12
採樣行程代碼：---

樣品報告編號		C1150903Q				檢驗方法	環境部飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	115年09月03日11時30分	TGE Agar	1倍/0，0	NIEA E203.56B	100	
以下空白								

PASS

檢驗室地址：桃園市中壢區遠東路128號　聯絡人：陳秀雲
電話：(03)455-8017　FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 2F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:00
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-1

Sample Report Number		C1150903L				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Accreditation number by NERA：041
(original Accreditation number by EPA：041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 3F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:05
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-2

Sample Report Number		C1150903M				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Accreditation number by NERA：041
(original Accreditation number by EPA：041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 4F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:10
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-3

Sample Report Number		C1150903N				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 5F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:15
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-4

Sample Report Number		C1150903O				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Accreditation number by NERA：041
(original Accreditation number by EPA：041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 6F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:20
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-5

Sample Report Number		C1150903P				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Accreditation number by NERA：041
(original Accreditation number by EPA：041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 7F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:25
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-6

Sample Report Number		C1150903Q				Analytical Method	Drinking water standard of MOENV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/03/2026 11:30	LES Endo Agar	1/0，0	NIEA E230.55B	6	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 2F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:00
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-7

Sample Report Number		C1150903L				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 3F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:05
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-8

Sample Report Number		C1150903M				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 4F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:10
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-9

Sample Report Number		C1150903N				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 5F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:15
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-10

Sample Report Number		C1150903O				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 6F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:20
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-11

Sample Report Number		C1150903P				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd. Kaohsiung Branch
IndustrialType: ---
Sampling Site: Kaohsiung Yanchao Hengshan Hall 1 7F Water Dispenser

Client Number: YZ1151C4064
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/02/2026 14:25
Sample Received: 09/03/2026

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/11/2026
Report Number: C1154064-12

Sample Report Number		C1150903Q				Analytical Method	Drinking water standard of MoEnV	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/03/2026 11:30	TGE Agar	1/0，0	NIEA E203.56B	100	
The END								

PASS

Address: #128, Yuan-Tung Road, Chung-Li, Tao-Yuan, Taiwan 320, R.O.C. Contact: Hsiu Yun Chen
TEL：(03)455-8017 FAX：(03)463-5887